Animal Medical Center Of Troy

Patient: TINY WESTIE RESCUE

Species: Canine Breed: WEST_HIGHLAND_T Gender: Female Year of Birth: 2012 Client: WESTIE RESCUE Requisition #: 02205 Accession #: 18010040 Account Code: 74559 Veterinarian: THEODOROFF,BRADFORD Panel/Profile: Young Canine Maintenance Profile-Standard CBC RETICULOCYTE PANEL Fecal Ova and Parasites with Lab 4Dx® Plus Test-Canine

Hematology 🔊

| 2/8/2015 (Order Received) 2/8/2015 @ 8:43 am (Last Updated) | | | | |
|--|-------|-------------------|---|--|
| RBC | 6.41 | 5.39 - 8.7 M/µL | | |
| Hematocrit | 45.8 | 38.3 - 56.5 % | | |
| Hemoglobin | 15.3 | 13.4 - 20.7 g/dL | | |
| MCV | 72 | 59 - 76 fL | | |
| MCH | 23.9 | 21.9 - 26.1 pg | | |
| MCHC | 33.4 | 32.6 - 39.2 g/dL | | |
| % Reticulocyte | 0.7 | % | | |
| Reticulocyte | 45 | 10 - 110 K/µL | | |
| WBC | 13.9 | 4.9 - 17.6 K/µL | | |
| % Neutrophil | 47.7 | % | | |
| % Lymphocyte | 31.3 | % | | |
| % Monocyte | 7.8 | % | | |
| % Eosinophil | 12.8 | % | | |
| % Basophil | 0.4 | % | | |
| Neutrophil | 6.63 | 2.94 - 12.67 K/µL | | |
| Lymphocyte | 4.351 | 1.06 - 4.95 K/µL | | |
| Monocyte | 1.084 | 0.13 - 1.15 K/µL | | |
| Eosinophil | 1.779 | 0.07 - 1.49 K/μL | H | |
| Basophil | 0.056 | 0 - 0.1 K/µL | | |
| Platelet | 381 | 143 - 448 K/µL | | |

Remarks SLIDE REVIEWED MICROSCOPICALLY.

NO PARASITES SEEN

PLATELET CLUMPS SEEN ON SLIDE. PLATELET COUNT AND BLOOD FILM ESTIMATE MAY BE FALSELY DECREASED.



Animal Medical Center Of Troy

Patient: TINY WESTIE RESCUE

Chemistry 凚

| Glucose | 89 | 63 - 114 mg/dL | |
|------------------|--------|------------------|--|
| BUN | 14 | 9 - 31 mg/dL | |
| Creatinine | 0.6 | 0.5 - 1.5 mg/dL | |
| Potassium | 4.8 | 4.0 - 5.4 mmol/L | |
| Total Protein | 6.6 | 5.5 - 7.5 g/dL | |
| Albumin | 3.0 | 2.7 - 3.9 g/dL | |
| Globulin | 3.6 | 2.4 - 4.0 g/dL | |
| Alb / Glob Ratio | 0.8 | 0.7 - 1.5 | |
| ALT | 29 | 18 - 121 U/L | |
| ALP | 58 | 5 - 160 U/L | |
| Hemolysis Index | a N | | |
| Lipemia Index | b N | | |

 $^{\mathsf{a}}$ Index of N,+,++ exhibits no significant effect on chemistry values.

 $^{\mathsf{b}}$ Index of N,+,++ exhibits no significant effect on chemistry values.

Serology 凚

| 2/8/2015 (Order Received) 2/8/2015 @ 8:43 am (Last Updated) | | |
|--|----------|--|
| Heartworm Antigen by ELISA | NEGATIVE | |
| Heartworm Antigen | NEGATIVE | |
| Ehrlichia canis / ewingii | NEGATIVE | |
| Lyme (Borrelia burgdorferi) | NEGATIVE | |



Animal Medical Center Of Troy

Patient: TINY WESTIE RESCUE

Serology (continued)

| Anaplasma phagocytophilum / platys | ^a NEGATIVE |
|--|---|
| | a The Ehrlichia canis/Ehrlichia ewingii antibody portion of the test uses peptides from each organism that are sensitive and specific for detecting exposure to these pathogens. If positive, submission of a fresh whole blood sample with an air-dried smear for a comprehensive CBC, test code 300, is recommended to identify abnormalities consistent with infection, primarily thrombocytopenia and anemia. If confirmation of infection is desired, Ehrlichia spp. RealPCR Test, code 2854 can be useful, especially in dogs with compatible clinical signs. For more information on these pathogens and the clinical signs associated with infection, please visit www.idexx.com/4dxplus The Lyme (Borrelia burgdorferi) antibody portion of the test detects Lyme C6 antibodies. A positive Lyme C6 antibody response is highly suggestive of active Lyme disease in dogs, rather than exposure or vaccination. This test may detect antibodies before clinical signs of joint disease. The quantitative assay for Lyme C6 antibodies (Lyme Quant C6 Antibody by ELISA, test code 7246) is preferred for assessing response to treatment. A measurable decline in quantitative Lyme C6 antibody levels within 6 months correlates with effective treatment, whereas the 4Dx-plus test may remain positive. J Infect Dis 184:2001; |
| | 870-878. The Anaplasma phagocytophilum/Anaplasma platys antibody portion of the test uses a peptide that is sensitive and specific for detecting exposure to these organisms. If positive, submission of a fresh whole blood sample with an air-dried smear for a comprehensive CBC, test code 300, is recommended to identify abnormalities consistent with infection, primarily thrombocytopenia. If confirmation of infection is desired, Anaplasma spp. RealPCR test, code 2824 can be useful, especially in dogs with compatible clinical signs. For more information on these pathogens and the clinical signs associated with infection please visit www.idexx.com/4dxplus *SNAP and 4Dx are trademarks or registered trademarks of IDEXX Laboratories, Inc. or its affiliates in the United States and/or other countries. |

Parasitology

| 2/8/2015 (Order Received) 2/8/2015 @ 8:43 am (Last Updated) | | |
|--|---|--|
| Ova & Parasites | TRICHURIS SP (WHIPWORM) OVA PRESENT MODERATE (11-30) | |
| - Zinc Sulfate Centrifugation | ANCYLOSTOMA SP (HOOKWORM) OVA PRESENT MODERATE (11-30) | |
| - | TOXOCARA SP OVA PRESENT FEW (3-10) In cases of acute or chronic diarrhea in addition to a fecal floatation and antigen testing for ova and parasites consider testing for viral, bacterial and protozoal infectious agents using RealPCR (canine diarrhea panel: test code 2625; feline diarrhea panel: test code 2627). | |

